



SAFETY DATA SHEET

**METACAULK® FIRE-RATED MORTAR**

Firestop for large openings

SECTION 1 – PRODUCT AND COMPANY INFORMATION

Product Name  
Metacaulk® Fire-Rated Mortar

Product Codes  
66331, 66334

Chemical Family  
Organic/Inorganic

Use  
Firestopping Mortar

Manufacturer's Name  
The RectorSeal Corporation  
2601 Spenwick Drive  
Houston, Texas 77055 USA

Date of Validation  
August 21, 2017

Date of Preparation  
August 21, 2017

HMIS Codes  
Health 1  
Flammability 0  
Reactivity 0  
PPI B

Emergency Telephone No.  
Chemtrec 24 Hours  
(800)-424-9300 USA  
(703)-527-3887 International

Technical Service Telephone No.  
(800)-231-3345 or (713)-263-8001

SECTION 2 – HAZARDS IDENTIFICATION

**GHS CLASSIFICATION**

**Physical Hazards:**

None

**Health Hazards**

Acute Toxicity:

- Oral: Not Classified
- Dermal: Not Classified
- Inhalation: Not Classified
- Skin Corrosion/Irritation: Not Classified
- Serious Eye Damage/Eye Irritation: Not Classified
- Respiratory or Skin Sensitization: Not Classified
- Germ Cell Mutagenicity: Not Classified
- Carcinogenicity: Not Classified
- Reproductive Toxicology: Not Classified

# METACAULK® FIRE-RATED MORTAR

Target Organ Systemic Toxicity - Single Exposure: Not Classified  
Target Organ Systemic Toxicity - Repeated Exposure: Not Classified

Aspiration Toxicity: Not Classified

## ENVIRONMENTAL HAZARDS

Hazardous to the Aquatic Environment: Not Classified  
Acute aquatic toxicity: Not Classified  
Chronic aquatic toxicity: Not Classified  
Bioaccumulation potential: Not Classified  
Rapid degradability: Not Classified

## GHS Label elements, including precautionary statements

Pictogram: None

Signal Word: None

Hazard Statements:  
None

Precautionary Statements:  
P102 - Keep out of reach of children.  
P264 - Wash hands thoroughly after handling.

## Summary Of Acute Hazards

Exposure from dust may cause eye and respiratory irritation.

## Route Of Exposure, Signs And Symptoms

### INHALATION

May cause respiratory irritation.

### EYE CONTACT

Contact may cause eye irritation.

### SKIN CONTACT

Contact may cause skin irritation.

### INGESTION

Possible irritation to mucous membranes of the mouth, throat, and stomach.

## SUMMARY OF CHRONIC HAZARDS

None known.

## MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Persons with impaired pulmonary function and/or pre-existing eye or skin conditions may be more susceptible to the effects of this product.

## SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

<b>Ingredient:</b>	Calcium Sulfate
Percentage by weight:	--
CAS Number:	7778-18-9
EC#:	231-900-3

# METACAULK® FIRE-RATED MORTAR

<b>Ingredient:</b>	Perlite
Percentage by weight:	--
CAS Number:	93763-70-3
EC#:	Not listed

## SECTION 4 – FIRST AID MEASURES

If inhaled:	Remove to fresh air. Administer oxygen or artificial respiration if needed. Seek immediate medical attention.
If on skin:	Wash with soap and water. If irritation occurs, seek medical attention.
If in eyes:	Immediately flush with large amounts of water. If irritation occurs, seek medical attention.
If swallowed:	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

## SECTION 5 – FIRE FIGHTING MEASURES

### Extinguishing Media

Foam, dry chemical, carbon dioxide or water fog.

**Special Fire Fighting Procedures:** Wear self-contained breathing apparatus (SCBA) and other protective clothing.

**Unusual Fire And Explosion Hazards:**Heat may build up and rupture closed containers.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

**Steps To Be Taken In Case Material Is Released Or Spilled:** Wipe up spills to prevent footing hazard. Avoid flushing into sewers, drains, waterways and soil. Wear protective clothing during clean up.

## SECTION 7 – HANDLING AND STORAGE

**Precautions To Be Taken In Handling And Storing:** Keep container closed and upright when not in use.

**Other Precautions:** Avoid prolonged or repeated contact with skin or clothing.

KEEP OUT OF REACH OF CHILDREN.

# METACAULK® FIRE-RATED MORTAR

## SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredient Units

**Calcium Sulfate**

ACGIH TLV: 10 mg/m<sup>3</sup>

OSHA PEL: 5 mg/m<sup>3</sup>

**Perlite**

ACGIH TLV: 10 mg/m<sup>3</sup>

OSHA PEL: 5 mg/m<sup>3</sup>

**Respiratory Protection (Specify Type):** NIOSH/MSHA approved dust mask.

**Ventilation – Local Exhaust:** Acceptable.

**Special:** N/A

**Mechanical (General):** Preferable.

**Other:** N/A

**Protective Gloves:** Wear rubber gloves.

**Eye Protection:** Safety glasses (ANSI Z-87.1 or equivalent)

**Other Protective Clothing Or Equipment:** Coveralls recommended.

**Work/Hygienic Practices:** Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Boiling point:	N/A
Specific gravity (H <sub>2</sub> O = 1):	1.89
Vapor pressure (mmHg):	N/A
Melting point:	N/A
Vapor Density (Air = 1):	N/A
Evaporation rate (Ethyl Acetate = 1):	N/A
Appearance/Odor:	Off-White Particulate/No odor
Solubility in water:	Insoluble
Volatile Organic Compounds (VOC) Content (theoretical percentage by weight):	< 1% or < 10 g/L
Flash point:	None
Lower explosion limit:	None
Upper explosion limit:	None

# METACAULK® FIRE-RATED MORTAR

## SECTION 10 – STABILITY AND REACTIVITY

**Stability:** Stable

**Conditions To Avoid:** None.

**Incompatibility (Materials To Avoid):** None known.

**Hazardous Decomposition Products:** None known.

**Hazardous Polymerization:** Will not occur.

## SECTION 11 – TOXICOLOGY INFORMATION

### Chronic Health Hazards

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

#### Toxicology Data

##### Ingredient Name

##### **Calcium Sulfate**

Oral-Rat LD50: N/D

Inhalation-Rat: N/D

##### **Perlite**

Oral-Rat LD50: N/D

Inhalation-Rat: N/D

## SECTION 12 – ECOLOGICAL INFORMATION

### Ecological Data

Ingredient Name:	<b>Calcium Sulfate</b>
Food Chain Concentration Potential:	N/D
Waterfowl Toxicity:	N/D
BOD:	N/D
Aquatic Toxicity:	N/D

Ingredient Name:	<b>Perlite</b>
Food Chain Concentration Potential:	N/D
Waterfowl Toxicity:	N/D
BOD:	N/D
Aquatic Toxicity:	N/D

# METACAULK® FIRE-RATED MORTAR

## SECTION 13 – DISPOSAL CONSIDERATIONS

**Waste Classification:** Non-regulated solid waste

**Disposal Method:** Approved landfill

Waste from this product is not considered hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in accordance with federal, state, and local regulation regarding pollution.

## SECTION 14 – TRANSPORTATION INFORMATION

DOT:	Non-regulated
Ocean (IMDG):	Non-regulated
Air (IATA):	Non-regulated
WHMIS (Canada):	Non-regulated

## SECTION 15 – REGULATORY INFORMATION

### Regulatory Data

Ingredient Name:	<b>Calcium Sulfate</b>
SARA 313	No
TSCA Inventory	Yes
CERCLA RQ	N/A
RCRA Code	N/A

Ingredient Name:	<b>Perlite</b>
SARA 313	No
TSCA Inventory	Yes
CERCLA RQ	N/A
RCRA Code	N/A

## SECTION 16 – OTHER INFORMATION

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made.

Consult RectorSeal for further information: (713) 263-8001